

Koch, Kristine

From: Sandy Browning <sbrowning@integral-corp.com>
Sent: Friday, November 21, 2014 4:39 PM
To: Koch, Kristine
Cc: Jim McKenna (jim.mckenna@verdantllc.com) (jim.mckenna@verdantllc.com);
rjw@nwnatural.com; 'Patty Dost' (pdost@pearllegalgroup.com); Jennifer Woronets
(jworonets@anchorqea.com); Gene Revelas; Carl Stivers (cstivers@anchorqea.com);
Amanda Shellenberger (ashellenberger@anchorqea.com)
Subject: Updated EPA FS Database
Attachments: RE: EPA FS Database

Hi Kristine.

EPA requested that the LWG make corrections to EPA's updated FS database, based on some missing information from the Arkema EE/CA process that the LWG identified. (Attached is the email chain noting the LWG suggested corrections and EPA's direction to make the corrections.) The corrected database has been posted to this location: PHCP Files | Data | EPA FS Database.

In summary, here are the changes that were made:

- * Updated the database to include recent Arkema early action database updates
- * Missing data added, missing total sums calculated, all OC-normalization for the 18 samples re-calculated
- * Standardized units ("percent" to "pct"), group descriptions, analyte short names, and chemical name columns.

Note that per the attached email chain directions from EPA, no additional data beyond the corrections identified above have been added to EPA's FS database.

Thanks.

Sandy

Sandy Browning | Managing Scientist
Integral Consulting Inc. | www.integral-corp.com
1205 West Bay Drive NW | Olympia, WA 98502
Tel: 360.705.3534, ext. 413 | Fax: 360.705.3669

HEALTH ENVIRONMENT TECHNOLOGY SUSTAINABILITY

This electronic message contains information that is confidential and/or privileged work product prepared in anticipation of litigation. The information is intended to be for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying, distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at 360.705.3534, or by electronic mail at sbrowning@integral-corp.com.